AMENDMENTS TO THE CLAIMS

1. (Currently amended) An isolated proteoglycan composition which is derived from a water extract of cartilage of cartilaginous fish and whose main component:

- is derived from a water extract of cartilage of cartilaginous fish; <u>(a)</u>
- (b) has a molecular weight of 500 kDa or more;
- (c) is insoluble in an alcohol; and
- (d) has a glycosaminoglycan part mainly composed of chondroitin sulfate C.
- 2. The proteoglycan composition of Claim 1, wherein it is insoluble in an alcohol the main component has an amino acid composition as shown in Figure 2.
- 3. (Canceled)
- 4. (Currently amended) The proteoglycan composition of any one of Claim 1, wherein [[it]] the composition has a matrix metalloprotease-inhibiting activity.
- 5. (Previously presented) The proteoglycan of Claim 4, wherein the matrix metalloprotease is MMP-9, and the inhibiting activity is an effect of canceling a reduction in an MMP-9-inhibiting activity in the blood serum of a tumor-bearing animal fed on a 0.4% by weight-product-containing feed or an effect of increasing, by at least 5%, an MMP-9-inhibiting activity in the blood serum of a tumor-bearing animal fed on a 0.4% by weight-product-containing feed.
- 6. (Previously presented) The proteoglycan of Claim 1, wherein it has an effect of increasing a cathepsin B-inhibiting activity when taken in an effective amount into a living body.
- 7. (Previously presented) The proteoglycan of Claim 1, wherein it has an activity of increasing the amount of haptoglobin in blood serum when taken in an effective amount into a living body.

Application No. 10/574,400 Docket No.: HO-P03167US0 Amendment dated

Reply to Office Action of November 14, 2006

8. (Canceled)

9. (Canceled)

10. (Currently amended) A pharmaceutical composition, comprising the proteoglycan

composition of any one of Claims 1 or 4 to 7 as an active ingredient.

11. (Currently amended) A method of producing the a proteoglycan composition of any one

of Claims 1 to 7, comprising the steps of:

pulverizing cartilaginous fish-derived cartilage into a pulverized product with an

average particle diameter of 100 µm or less;

adding water to the pulverized product and extracting water-soluble components from

it;

separating an aqueous phase that contains the extracted water-soluble components;

and

adding an alcohol to the aqueous phase to produce a precipitate, and

gel filtration purification of the precipitate to isolate the extracted water-soluble

components having a gel filtration estimated molecular weight of 500 kDa or more.

12. (New) The proteoglycan composition produced by the process of claim 11.

6